





Service We Deliver and Quality You Can Depend On

DANLY IEM is a leading manufacturer of die sets and die component products supplied globally to the parts forming industry. Backed by years of tool and die experience, quality and innovation are some of the reasons why our name is respected throughout the world. We have taken the lead role in creating and bringing new products to customers and helping them find solutions that improve their operations. Based on the capabilities **DANLY IEM** offers, we can help you to meet the demands of quick deliveries, technical support, quality products and competitive prices. **DANLY IEM** and its' broad distribution channels and direct sales personnel will assist you in any way to make your product a better and more profitable one.

Whether you purchase on-line or in person, you will receive the same reliable service **DANLY IEM** is known for. We understand the demanding schedules of die builders and production personnel and have developed efficient manufacturing processes to shorten product lead times as well as put inventory on our shelves so you can have it in your facility when you need it. Put the **DANLY IEM** network to work for you. We've got the service you've been looking for.

Included in our full line offering are both inch and metric size die sets and die components that are designed to numerous die standards including ISO, NAAMS, JIS and many large automotive and appliance manufacturers' standards. The complete product offering includes:

- Ball bearing and friction style die sets including custom and catalog sets
- Machined plate
- Guide posts & bushings
- ISO and JIS Die springs
- In-die tapping units for both mechanical and hydraulic presses
- Formathane® Urethane springs, strippers, sheets, bars, rods and die cover film
- Diemakers' supplies such as pry bars, dowel pins, hoist rings, clamps and fasteners
- Standard and self-lubricating wear product including wear plate, wear strips, gibs, keeper plates and guide blocks
- Cam units, including Milfab[®], Mini[™], Aerial and Die Mount styles
- Accubend[™] Rotary Benders
- Standard and Ball lock punches and retainers
- Coil Safe
- Air presses
- Pad retainers
- Nitrogen gas springs

Catalog Die Sets

TABLE OF CONTENTS	PAGE NUMBER
General Information	2
Back Posts	4
Rectangular Die Sets - Rectangular Back Posts	8
Rectangular Die Sets - Rectangular Two Post	10
Rectangular Die Sets - Rectangular Four Post	12
Kick Press Semi-Steel Die Sets	14
Center Posts	16

General Information



Ease of Assembly

The demountable bushings are assembled in the punch holder with easily mounted clamps that serve to maintain perfect alignment of the bushings, with the bore perpendicular to the ground surface of the punch holder. The use of clamps and screws gives the demountable bushings four times the holding power of pressed-in bushings.

The precision fit of the guide posts and the demountable bushings also makes for ease of assembly and disassembly in die making and repair. The demountable bushing set is assembled and disassembled with complete ease because the demountable bushings in the punch holder fit the Microme guide posts in the die holder with positive accuracy. This is a distinct advantage in the die making, grinding and repairing dies.



A Complete Line of Precision Bushings

Danly offers a complete line of demountable shoulder and short shoulder bushings in hardened steel, bronze-plated and bronze shoulder bushings.



Microme Guide Posts

The Microme guide posts have a very high resistance to wear and their super smooth finish helps to guarantee precision performance. Guide posts are pressed in from the bottom or underside of the die holder and can be removed for die work or die grinding and reinserted accurately, with no surface damage.



Lubrication System for Guide Posts and Bushings

Danly catalog die sets are designed for easy, fast lubrication. Note in the drawing at left how the shoulder of the bushing is equipped with a standard fitting which can be easily reached with a lubrication gun. Once the grease is injected into the bushings, it reaches the figure 8 oil grooves and protects the bushing and post from wear.

General Information

All Horizontal Surfaces are Precision Ground to Assure a Flat, True Working Surface

All surfaces are ground to precision standards to assure true working surfaces. The top surface of the punch holder is vented.




Integral Welded Shank on All-Steel Sets

On all-steel catalog sets, the shank is an integral part of the punch holder. This construction features a high-strength 100% integral unit suitable for deep counter-boring or knockout holes. Semi-steel sets regularly furnished with shanks have an integrally cast shank.



Easier, Faster Clamping

Danly all-steel die sets with the "A" dimension 20" or more are furnished with clamping holes rather than clamping flanges. The illustration shows an all-steel die holder clamping method.



See page 8 for a more detailed description.

Quality, Performance, Economy with Precise Fit

The **Danly** demountable bushing die sets offer the ultimate in quality, performance and economy. These demountable bushing die sets are typical of **Danly**'s consistent leadership in the die set field. The superiority of **Danly** demountable bushing die sets is based on a method of die set manufacture and assembly that produces a precise fit between the guide posts and bushings. Guide posts and bushings are prefitted to dimensions, within tolerance, and furnished as matched units within each die set.





Product Features

- Available with a variety of bushing and guide post types
- Meets ANSI B 5.25 Standards
- Front and rear edges are machined parallel to guide posts for ease in die building
- Shanks available upon request




WHEN ORDERING

- 1. Specify quantity and catalog number.
- 2. Specify type of **DANLY** bushing. Unless otherwise specified, these sets are assembled with demountable steel shoulder bushings.
- 3. Specify length "L" from bottom of the die holder to top of guide post "O".
- 4. Specify diameter of punch shank. Punch shanks are integral and are available in the following sizes:




- 1-9/16" diameter x 2-1/8" long
- 2" diameter x 2-7/8" long




- 5. Specify thickness combinations if other than listed. Other thicknesses are furnished at additional cost.
- 6. Specify how shipment should be made.








Cat	talog Numb	ers	Die S	Брасе	Diam.	Thick	ness					Gene	ral Dime	nsions				
Semi- Steel	Semi- Steel PH w/	All Steel	Left to Right	Front to Back	For Round Dies	Die Holder	Punch Holder		For bush	ning and g				ee our Die O" dimens		Supplies	catalog.	
	Steel DH		Α	В		J	K	С	D	Е	F	G	M	N	0	R	S	T
0303-A1	0303-B1	0303-C1	3	3	3	1	1	3-5/8	3-1/4	1-3/4	1	4-1/4	5-3/8	2-7/8	3/4	5	6-3/4	4-13/16
_	0303-B4	0303-C4				1-1/4	·	0 0/0	" "	' ' '	'	, .	0 0/0	2 170	0/1		0 0/1	1 10, 10
0403-A1	0403-B1	0403-C1		3	3-1/4	1-1/4	1	3-3/4		1-3/4	1-3/16	4-3/8	5-3/4	3-1/16	7/8	6-1/4	8	5-1/8
0404-A1	0404-B1	0404-C1	4	4	4	1-3/8		4-7/8	3-1/4	2-7/16		5-3/4	6-1/8	3-3/4		6	7-3/4	6-3/16
_	0404-B4	0404-C4	7	4	4	1-3/4	1-1/4	4-7/8		2-7/16	1-3/8	5-3/4	6-1/8	3-3/4	1	6	7-3/4	6-3/16
_	_	0406-C1		6	-	1-1/2		6-7/8	5-1/8	3-1/4		7-1/2	8	4-11/16		6-1/4	8-7/8	8-5/16
0504-A1	0504-B1	0504-C1		4	4-1/2	1-3/8		4-7/8		2-3/8		5-3/8		3-13/16				6-5/16
_	0504-B4	0504-C4		4	4-1/2	1-3/4	1-1/4	4-7/8		2-3/8		5-3/8		3-13/16				6-5/16
0505-A1	0505-B1	0505-C1				1-1/2												
_	_	0505-C2	5	5	5	1-1/2	1-3/4	5-7/8	4	2-11/16	1-3/8	6-3/8	7	4-1/8	1	7	8-3/4	7-5/16
_	0505-B4	0505-C4				2	1-1/4			1								
_	-	0505-C5				2	1-3/4			1								
_	_	0508-C1		8	-	1-1/2	1-1/4	8-7/8		4-1/4		9-1/2	9-3/8	5-11/16			9-5/8	10-5/16
0604-A1	0604-B1	0604-C1		4	5	1-1/2		4-7/8		2-1/8		5-1/2		3-9/16				6-5/16
_	0604-B4	0604-C4		4	5	1-3/4	1-1/4	4-7/8		2-1/8		5-1/2		3-9/16				6-5/16
0606-A1	0606-B1	0606-C1																
_	_	0606-C2	6-1/2	6	6-1/2	1-1/2	1-3/4	6-7/8	5-1/8	3-3/16	1-3/8	7-1/2	8	4-5/8	1	8-5/8	11-1/4	8-5/16
_	0606-B4	0606-C4				2	1-1/4											
_	_	0606-C5				2	1-3/4											
_	-	0609-C1		9	-	1-1/2	1-3/8	10	7-3/4	4-3/4	1-5/8	10-5/8	11-1/8	6-5/16	1-1/4			11-9/16
_	_	0705-C1				1-1/2	1-1/4											
_	_	0705-C2	7.4/6	_	- ou	1-1/2	1-3/4	F 7/0	0.4/0	0.0/	4.0/0	0.4/0	0.0/6	4.0/40		0.5/0	40.474	7.546
_	_	0705-C4	7-1/2	5	5-3/4	2	1-1/4	5-7/8	6-1/2	2-3/4	1-3/8	6-1/2	9-3/8	4-3/16	1	9-5/8	12-1/4	7-5/16
_	_	0705-C5				2	1-3/4											



Catalog Numbers	Die S	Space	Diam.	Thick	ness					Gener	al Dimen	sions				
All Steel	Left to Right	Front to Back	For Round Dies	Die Holder	Punch Holder		For bush	ning and g				ee our Die O" dimens		Supplies	s catalog	
	Α	В		J	K	С	D	Е	F	G	M	N	0	R	S	Т
0707-C1				1-1/2	1-1/4											
0707-C2				1-1/2	1-3/4											
0707-C4	7-1/2	7	7-1/2	2	1-1/4	7-7/8	6-1/2	3-11/16	1-3/8	8-1/2	9-3/8	5-1/8	1	9-5/8	12-1/4	9-5/16
0707-C5				2	1-3/4											
0710-C1		10	_	1-5/8	1-3/8	11	9-1/8	5-1/4	1-5/8	11-5/8	12-1/2	6-15/16	1-1/4	9-5/8	12-1/4	12-11/16
0804-C1		4	-		1-1/4	4-7/8		2-5/16		5-1/2		3-7/8				6-7/16
0806-C1				1-1/2	1-1/4											
0806-C2					1-3/4											
0806-C4				2-1/4	1-1/4	6-7/8	7-3/4	3-1/8	1-3/8	7-1/2	10-5/8	4-11/16	1	10-5/8	13-1/4	8-7/16
0806-C5	8-1/2	6	7	2-1/4	1-3/4											
0808-C1				1-1/2	1-1/4											
0808-C2		8	8-1/2	1-1/2	1-3/4	8-7/8		4-3/16		9-1/2	10-5/8	5-3/4	1	10-5/8	13-1/4	10-7/16
0808-C4				2	1-1/4											
0808-C5				2	1-3/4											
0811-C1		11	-	1-3/4	1-1/2	12	10-1/4	5-3/4	1-5/8	12-7/8	13-5/8	7-7/16	1-1/4	10-5/8	13-1/4	13-11/16
1005-C1		5	-	1-1/2		6		3-5/16		6-5/8		5		12-1/4	14-7/8	7-11/16
1005-C4		5	_	2	1-3/8	6		3-5/16		6-5/8		5]	12-1/4	14-7/8	7-11/16
1007-C1			_	1-5/8												
1007-C2]		_	1-5/8	1-3/4											
1007-C4	10	7	-	2-1/4	1-3/8	8	9-1/8	3-9/16	1-5/8	8-5/8	12-1/2	5-1/4	1-1/4	12-1/8	14-3/4	9-11/16
1007-C5	1		_	2-1/4	1-3/4											
1010-C1	1			1-5/8	1-3/8											
1010-C2]	10	10	1-5/8	1-3/4	11	10-1/4	5-1/4	1-5/8	11-7/8	13-5/8	6-15/16	1-1/4	12-1/4	14-7/8	12-11/16
1010-C4	1			2-1/4	1-3/8											
1010-C5	1			2-1/4	1-3/4	1										



Catalog Numbers	Die Sp	ace	Diam.	Thic	kness					General D	imensions				
All Steel	Left to Right	Front to Back	For Round Dies	Die Holder	Punch Holder		For bushi	ng and gu			tions, see o		akers' Supp n.	olies catalo	og.
	Α	В		J	K	С	D	Е	F	M	N	0	R	S	T
1107-C1	11-1/4	7	8	1-3/4	1-1/2	8-1/8	10-1/4	4	1-5/8	13-5/8	5-11/16	1-1/4	13-1/2	16-1/8	9-13/16
1109-C1	11-1/4	9	10	1-3/4	1-1/2	10	10-1/4	4-7/8	1-5/8	13-5/8	6-9/16	1-1/4	13-1/2	16-1/8	11-11/16
1204-C1		4	_	1-1/2		5		2-9/16			4-1/4		14-3/4	17-3/8	6-11/16
1206-C1		6	-	1-1/2	1-1/2	7-1/8	10-1/4	4	1-5/8	13-5/8	5-11/16	1-1/4			8-13/16
1206-C4		6	-	2		7-1/8		4			5-11/16				8-13/16
1210-C1	12-1/2	10	10-3/4	1-3/4	1-5/8	11-1/8		5-3/8			7-1/2		14-5/8	17-1/4	13-1/4
1210-C4		10	10-3/4	2-1/2	1-5/8	11-1/8	14	5-3/8	2	18	7-1/2	1-1/2			13-1/4
1212-C1		12	12-1/2	1-3/4	1-3/4	13-1/8		6-3/8			8-1/2				15-1/4
1212-C4		12	12-1/2	2-1/2	1-3/4	13-1/8		6-3/8			8-1/2				15-1/4
1410-C1	14	10	11-1/4	1-3/4	1-5/8	11-1/4	14	5-5/8	2	18	7-3/4	1-1/2	16-7/8	19-1/2	13-3/8
1505-C1		5	-	1-1/2		6-1/8		2-15/16			5-1/16				8-1/4
1507-C1	15	7	-	1-1/2	1-1/2	8-1/8	14	4-3/8	2	18	6-1/2	1-1/2	17-1/4	19-7/8	10-1/4
1507-C4		7	-	2		8-1/8		4-3/8			6-1/2				10-1/4
1509-C1		9	-	1-1/2		10-1/8		5			7-1/8				12-1/4
1805-C1	18	5	-	1-1/2	1-1/2	6-1/8	16-3/4	3-3/16	2	20-3/4	5-5/16	1-1/2	20-1/8	22-3/4	8-1/4
1808-C1	10	8	-	1-1/2	1-1/2	9-1/8	16-3/4	4-13/16	2	20-3/4	6-15/16	1-1/2	20-1/8	22-3/4	11-1/4


Rectangular Die Sets – Rectangular Back Posts




Product Features

- Available with a variety of bushing and guide post types
- Meets ANSI B 5.25 Standards
- Front and rear edges are machined parallel to guide posts for ease in die building
- Shanks available upon request





CLAMPING METHOD FOR ALL-STEEL HOLDER
The illustration above shows the space saving method for clamping an all-steel die holder where the bolster plate is equipped with T-slots. Note the lack of interference for stock feed. See the Diemakers' Supplies Catalog for a complete description of clamps and clamping methods.



Rectangular Die Sets – Rectangular Back Post

WHEN ORDERING

- 1. Specify quantity and catalog number.
- 2. Specify type of **Danly** bushing. Unless otherwise specified, these sets are assembled with demountable steel shoulder bushings.
- 3. Specify length "L" from bottom of the die holder to top of guide post "O".
- 4. Specify size of shank, if ordered. These sets are regularly furnished without shanks. Inserted steel shanks in the sizes below are available at additional cost:
 - 1-1/2" diameter x 2-1/8" long
 - 1-9/16" diameter x 2-1/8" long
 - 2" diameter x 2-7/8" long
 - 2-1/2" diameter x 2-7/8" long
 - 3" diameter x 2-7/8" long
- 5. Specify thickness combinations if other than listed. Other thicknesses are furnished at additional cost.
- 6. Specify how shipment should be made.


Catalog Numbers	Die Sp	ace	Thick	ness			General Di	imension	S	
All Steel	Left to Right	Front to Back	Die Holder	Punch Holder		see our	g and guid Diemakers ocked are	' Supplie:	s catalog	
	Α	В	J	K	С	D	Е	G	N	0
2005-RC1		5			6-1/8		3-5/16	8-1/4	5-7/16	
2008-RC1	20-3/4	8	1-3/4	1-1/2	9-1/8	16-3/4	4-15/16	11-1/4	7-1/16	1-1/2
2012-RC1]	12			13-1/8		6-1/4	15-1/4	8-3/8	
2209-RC1	22-1/2	9	1-3/4	1-1/2	10-1/8	16-3/4	5-7/16	12-1/4	7-9/16	1-1/2
2507-RC1	25	7	1-3/4	1-1/2	8-1/8	19-1/2	4-5/16	10-1/4	6-7/16	1-1/2
2511-RC1] -	11	1-3/4	1-1/2	12-1/8	15-1/2	6-7/16	14-1/4	8-9/16	1-1/2

Rectangular Die Sets – Rectangular Two Post



Product Features

- Available with a variety of bushing and guide post types
- Meets ANSI B 5.25 Standards
- Front and rear edges are machined parallel to guide posts for ease in die building
- Shanks available upon request



Catalog Numbers	Die Sp	ace	Thick	ness			Gener	al Dimens	sions		
All Steel	Left to Right	Front to Back	Die Holder	Punch Holder		see	shing and our Diem es stocked	akers' Su	pplies ca	talog.	
	Α	В	J	K	0	С	D	M	T	F ₁	F ₂
1006-2C-1			1-1/2	1-1/4							
1006-2C-2	10-1/2	6	1-1/2	1-1/2	1	7	7-3/4	10-1/2	8-1/2	1-1/2	1-3/8
1006-2C-4			2	1-1/4							
1006-2C-5			2	1-1/2	1						
1206-2C-1			1-1/2	1-1/2							
1206-2C-2			1-1/2	2							
1206-2C-4		6	2	1-1/2		7			8-5/8		
1206-2C-5			2	2							
1208-2C-1			1-1/2	1-1/2							
1208-2C-2	12-1/2	8	1-1/2	2	1-1/4	9	9-1/8	12-1/2	10-5/8	1-5/8	1-11/16
1208-2C-4			2	1-1/2							
1208-2C-5			2	2							
1210-2C-1			1-1/2	1-1/2							
1210-2C-2		10	1-1/2	2	1-1/2	11-1/8			13	1-7/8	
1210-2C-4			2	1-1/2							
1210-2C-5			2	2							

Rectangular Die Sets – Rectangular Two Post


Catalog Numbers	Die Sp	асе	Thick	Kness			Gener	al Dimen	sions		
	Left	Front	Die	Punch		For bu	shing and	l guide p	ost speci	fications,	
All Steel	to Dight	to Back	Holder	Holder		see Siz	our Diem es stocked	akers' Su I are for '	ipplies ca "O" dime	italog. nsion.	
Steet	Right A	В	J	K	0	C	D	M	T	F,	F ₂
1406-2C-1			1-1/2	1-1/2							- 2
1406-2C-2		6	1-1/2	2		7			8-5/8		
1406-2C-4			2	1-1/2							
1406-2C-5			2	2							
1408-2C-1			1-1/2	1-1/2							
1408-2C-2		8	1-1/2	2	1-1/4	9			10-5/8	1-5/8	
1408-2C-4			2	1-1/2							
1408-2C-5	14		2	2			10-1/4	14			1-7/8
1410-2C-1			1-1/2	1-1/2							
1410-2C-2			1-1/2	2							
1410-2C-4		10	2	1-1/2	1-1/2	11-1/8			13	1-7/8	
1410-2C-5			2	2		L			L_		
1412-2C-1			1-1/2	1-1/2							
1412-2C-2		12	1-1/2	2		13-1/8			15		
1412-2C-4			2	1-1/2							
1412-2C-5			2	2							
1607-2C-1			1-1/2	1-1/2							
1607-2C-2			1-1/2	2							
1607-2C-4		7	2	1-1/2		8-1/8			10		
1607-2C-5			2	2							
1609-2C-1			1-1/2	1-1/2							
1609-2C-2			1-1/2	2							
1609-2C-4	16	9	2	1-1/2	1-1/2	10-1/8	12-1/4	16	12	1-7/8	1-7/8
1609-2C-5			2	2							
1611-2C-1		l	1-1/2	1-1/2							
1611-2C-2		11	1-1/2	2		12-1/8			14		
1611-2C-4			2	1-1/2							
1611-2C-5			2	2							
1806-2C-1			1-1/2	1-1/2							
1806-2C-2			1-1/2	2		7 4 10	40		_		
1806-2C-4		6	2	1-1/2		7-1/8	18		9		
1806-2C-5 1808-2C-1			2 1-1/2	1-1/2		<u> </u>					
1808-2C-1 1808-2C-2			1-1/2	2							
1808-2C-2 1808-2C-4		8	2	1-1/2		9-1/8			11		
1808-2C-5			2	2		3-1/0			''		
1810-2C-1	18		1-1/2	1-1/2	1-1/2		14	18		1-7/8	2
1810-2C-2	'0		1-1/2	2	' '/-		'-	'0		1770	_
1810-2C-4		10	2	1-1/2		11-1/8			13		
1810-2C-5		"	2	2		,			.		
1812-2C-1			1-1/2	1-1/2		<u> </u>					
1812-2C-2			1-1/2	2							
1812-2C-4		12	2	1-1/2		13-1/8			15		
1812-2C-5			2	2							
1814-2C-1		14	2	2		15-1/8			17		
NOTE: All dimensions are in	inahaa			l ioo noto	<u></u>		L		<u> </u>		

Rectangular Die Sets – Rectangular Four Post



Product Features

- Available with a variety of bushing and guide post types
- Meets ANSI B 5.25 Standards
- Front and rear edges are machined parallel to guide posts for ease in die building
- Shanks available upon request




Catalog Numbers	Die S	ace	Thic	kness			Genera	I Dimensi	ions		
All Steel	Left to Right	Front to Back	Die Holder	Punch Holder		see	shing and our Diem es stocke	akers' Su	ipplies ca	italog.	
	Α	В	J	K	0	C ₁	D ₁	B ₂	A_2	F _i	F ₂
1008-4C-1			1-1/4	1							
1008-4C-2			1-1/4	1-1/4							
1008-4C-4		8		1		5-1/8		3-1/4			
1008-4C-5				1-1/4							
1010-4C-1	10		1-1/2	1-1/4	1		6-3/4		4-7/8	1-7/16	1-5/8
1010-4C-2	1	10		1-1/2		7-1/8		5-1/4			
1010-4C-4			2	1-1/4							
1010-4C-5			2	1-1/2							
1208-4C-1			1-1/4	1							
1208-4C-2			1-1/4	1-1/2							
1208-4C-4		8		1		5-1/8		3-1/4			
1208-4C-5	12		1-1/2	1-1/2	1		8-3/4		6-7/8	1-7/16	1-5/8
1210-4C-1				1-1/4							
1210-4C-2		10		1-1/2		7-1/8		5-1/4			
1210-4C-4			2	1-1/4							
1210-4C-5			2	1-1/2							

Rectangular Die Sets – Rectangular Four Post

Catalog Numbers	Die S	pace	Thic	kness			Genera	I Dimens	sions		
All	Left	Front	Die	Punch			shing and				
All Steel	to Right	to Back	Holder	Holder			e our Diem es stocke				
	A	В	J	K	0	C	D	B ₂	A,	F,	F ₂
1212-4C-1			1-1/2	1-1/4					2		
1212-4C-2	12	10	1-1/2	1-1/2	1	8-3/4	8-5/8	6-5/8	6-1/2	1-5/8	1-11/16
1212-4C-4			2	1-1/4							
1212-4C-5			2	1-1/2							
1410-4C-1			1-1/2	1-1/4							
1410-4C-2			1-1/2	1-1/2							
1410-4C-4		10	2	1-1/4		6-3/4		4-5/8			
1410-4C-5	14		2	1-1/2	1-1/4		10-5/8		8-1/2	1-5/8	1-11/16
1412-4C-1			1-3/4	1-1/2							
1412-4C-2		12	1-3/4	2		8-3/4		6-5/8			
1412-4C-4			2	1-1/2							
1412-4C-5			2	2							
1610-4C-1			1-1/2	1-1/2							
1610-4C-2			1-1/2	2							
1610-4C-4		10	2	1-1/2		6-3/4		4-5/8			
1610-4C-5	16		2	2	1-1/4		12-5/8		10-1/2	1-5/8	1-11/16
1612-4C-1			1-1/2	1-1/2							
1612-4C-2		12	1-1/2	2		8-3/4		6-5/8			
1612-4C-4			2	1-1/2							
1612-4C-5			2	2							
1812-4C-1			2	1-3/4							
1812-4C-2			2	2							
1812-4C-4		12	2-1/2	1-3/4	1-1/4	8-3/4	14-5/8	6-5/8	12-1/2	1-5/8	1-11/16
1812-4C-5	18		2-1/2	2							
1814-4C-1			1-3/4	1-1/2							
1814-4C-2		14	1-3/4	2	1-1/2	10-1/4	14	7-7/8	11-5/8	1-7/8	2
1814-4C-4			2	1-1/2							
1814-4C-5			2	2	<u> </u>	<u> </u>	<u> </u>				
2012-4C-1			2	1-1/2							
2012-4C-2			2	2							
2012-4C-4		12	2-1/2	1-1/2		8-1/4		5-7/8			
2012-4C-5	20		2-1/2		1-1/2		16		13-5/8	1-7/8	2
2014-4C-1		14	2	2		10-1/4		7-7/8			
2014-4C-4		14	2-1/2			10-1/4		7-7/8			
2016-4C-1		16	2			12-1/4		9-7/8			
2416-4C-1			1-3/4	1-1/2							
2416-4C-2	24	16	1-3/4	2	1-1/2	12-1/4	20	9-7/8	17-5/8	1-7/8	2
2416-4C-4			2-1/2	1-1/2							
2416-4C-5			2-1/2	2							

Kick Press Semi-Steel Die Sets




Product Features

- Available with a variety of bushing and guide post types
- Meets ANSI B 5.25 Standards
- Front and rear edges are machined parallel to guide posts for ease in die building
- Shanks available upon request

WHEN ORDERING


- 1. Specify quantity and catalog number.
- 2. Specify type of **Danly** bushing. Unless otherwise specified, these sets are assembled with steel short shoulder bushings.
- 3. Specify length "L" from bottom of the die holder to top of guide post "O".
- 4. Specify diameter of punch shank. Punch shanks are integral and are available in the following sizes:
 - 13/16" diameter x 1-7/16" long
 - 1" diameter x 1-7/16" long
 - 1-1/2" diameter x 2" long
 - 1-9/16" diameter x 2" long
- 5. Specify how shipment should be made.

Kick Press Semi-Steel Die Sets



Catalog	Die S	Space	Diame Round	ter for d Dies	Thick	iness					G	eneral D	imensio	ons				
Numbers Semi- Steel	Left to Right	Front to Back		Punch Holder	Die Holder	Punch Holder	L-01	For bushing and guide post specifications, see our Diemakers' Supplies catalog. Sizes stocked are for "O" dimension.									Punch Shank Diameter	
	Α	В			J	K	С	C D E F G M N O R S T									Small	
0202-GA-1	2-9/16	2-1/2	2-1/2	2-1/2	15/16	3/4	2-7/8	2-7/8	1-5/8	3/4	3-3/8	4-3/8	2-1/4	1/2	4	5-1/2	3-5/8	1" Dia. x 1-1/2" LG.
0403-GA-1	4	3	3-3/8	3-3/8	1	3/4									1" Dia. x 1-1/4" LG.			
0604-GA-1	5-1/2	3-7/8	4	4	15/16	7/8	4-1/2	5-1/8	1-15/16	1	4-9/16	7-1/4	2-3/4	3/4	6-3/4	7-3/4	5-5/16	

NOTE: All dimensions are in inches, unless otherwise noted.



Catalog	Die S	Space	Thick	ness				Gene	ral Dimen	sions				
Numbers	Left to Right	Front to Back	Die Holder	Punch Holder			or bushing s' Supplie							Punch Shank Diameter
	Α	В	J	K	D	Е	F	G	N	0	R	S	T	
33-AW	3	3			4	1-1/2		3-3/8	2-3/8		5	6-3/4	3-7/8	Dunch charles are internal and
44-AW	4	4			5-1/8	2		4-3/8	2-7/8		6	7-1/2	4-7/8	Punch shanks are integral and are available in the following
54-AW	5	4	1	1	6-1/2	2	1-1/16	4-3/8	2-7/8	3/4	7	8-3/4	4-7/8	sizes: • 13/16" diameter x 1-7/16" long
55-AW	5	5			6-1/2	2-1/2	1	5-3/8	3-3/8		7	8-3/4	5-7/8	• 1" diameter x 1-7/16" long
64-AW	6	4			7-3/4	2		4-3/8	2-7/8		8	9-3/4	4-7/8	1-1/2" diameter x 2" long1-9/16" diameter x 2" long
66-AW	6	6			7-3/4	3		6-3/8	3-7/8		8	9-3/4	6-7/8	


NOTE: All dimensions are in inches, unless otherwise noted.


Center Posts



Product Features

- Available with a variety of bushing and guide post types
- Meets ANSI B 5.25 Standards
- Front and rear edges are machined parallel to guide posts for ease in die building
- Shanks available upon request







WHEN ORDERING

- 1. Specify quantity and catalog number.
- 2. Specify type of **Danly** bushing. Unless otherwise specified, these sets are assembled with demountable steel shoulder bushings.
- 3. Specify length "L" from bottom of the die holder to top of guide post "O".
- 4. Specify diameter of punch shank. Punch shanks are integral and are available in the following sizes:
 - 1-1/2" diameter x 2-1/8" long
 - 1-9/16" diameter x 2-1/8" long
 - 2" diameter x 2-7/8" long

Sets are also available without shanks. Special shanks can be furnished at additional cost.







6. Specify how shipment should be made.

Catalog Numbers	Die S	pace	Thick	iness		Gene	eral Dimer	nsions	
All Steel	Left to Right	Front to Back	Die Holder	Punch Holder		specifi	ing and go cations, s s' Supplie	ee our	
	Α	В	J	K	D	Н	0	Р	R
0304-CC1	3	4-1/8	1	1	4-1/2	7	3/4	7/8	4-1/8
0404-CC1	4-3/4	4-1/2	1-3/8	1-1/4	6-1/4	9	7/8	1	6-3/8
0604-CC1	6	4-3/4			7-1/4	10-5/8			6-5/8
0607-CC1	6	7-1/2			7-1/4	10-5/8			9-3/8
0705-CC1	7	5-1/2	1-1/2	1-1/2	8-1/4	11-1/2	1	1-1/4	7-3/8
0806-CC1	8-1/2	6			9-3/4	13			8
0808-CC1	8-1/2	8			9-3/4	13			10
1010-CC1	10-1/2	10-1/2			12	15-5/8	1-1/4	1-1/2	12-1/4




The Danly IEM Value Proposition

- I. Danly IEM is recognized as the leader in manufacturing quality die sets and related products to the global parts forming industry. Our reputation has been built by satisfying customer needs, and we are very strong in the automotive and appliance industries.
- II. Danly IEM offers outstanding delivery on a consistent basis. Choosing us as a supplier means that our customers have a competitive advantage in delivering their products to the market.
- III. Danly IEM has complex machining capabilities on die sets at several strategically located facilities. Locations throughout the USA means lower shipping costs and allowing Danly IEM to machine complex die sets means the customer's machining centers have additional capacity.
- IV. Danly IEM's vast breadth of products assures innovative solutions. We strive to address customer problems by utilizing our research and development department as well as other technical professionals.
- V. Danly IEM has a technically trained sales force and distributor channels with engineering support. Sales, marketing and engineering professionals are available to support our product lines.
- > Competitive Prices
- > Reliability and Performance









...A LEADING MANUFACTURER
AND INNOVATOR OF DIE SETS
AND DIE COMPONENTS
SUPPLIED GLOBALLY TO THE
METAL FORMING INDUSTRY...







High Quality Design & Construction







Distributed by:

DANLY IEM

6779 Engle Road, Suite A Cleveland, OH 44130

www.danly.com diesets@danly.com

WITHIN THE USA & CANADA

CALL: 800-243-2659 FAX: 800-833-2659

OUTSIDE THE USA & CANADA

CALL: 001-248-489-7816 FAX: 001-248-553-6842