Page 1 of 5

### SAFETY DATA SHEET



Date Prepared: 08/04/2014

SDS No: Metkleen 2120

### 1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT FORMULATION NAME: Metkleen 2120

**CHEMICAL FAMILY: Cleaner** 

### **MANUFACTURER**

Metalloid Corporation 1160 White St Sturgis, MI 49091

**Emergency Contact:** Robert Kowalski **Emergency Phone:** 800-686-3201 E-Mail: b.kowalski@metalloidcorp.com

#### 24 HR. EMERGENCY TELEPHONE NUMBERS

Poison Control Center (Medical): (877) 800-5553 CHEMTREC (US Transportation): (800) 424-9300

### 2. HAZARDS IDENTIFICATION

### **GHS CLASSIFICATIONS**

#### Health:

Acute Toxicity (Oral), Category 4 Corrosive to Metals, Category 1 Skin Corrosion, Category 1B Skin Irritation, Category 2 Eye Irritation, Category 2

### **GHS LABEL**





Health

hazard

SIGNAL WORD: DANGER HAZARD STATEMENTS

H319: Causes serious eve irritation.

H315: Causes skin irritation.

H302: Harmful if swallowed.

### PRECAUTIONARY STATEMENTS

### Prevention:

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P262: Do not get in eyes, on skin, or on clothing.

P260: Do not breathe dust/fume/gas/mist/vapours/spray. P270: Do not eat, drink or smoke when using this product.

### Response:

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P310: Immediately call a POISON CENTER/doctor/...

#### Storage:

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

### Disposal:

## www.hodie.com

7200 Interstate 20 • Kennedale, TX 76060

Page 2 of 5

Metkleen 2120

P501: Dispose of contents/container in accordance with Local/State/Federal regulations

#### POTENTIAL HEALTH EFFECTS

**EYES:** Contact causes severe eye irritation.

**SKIN:** Contact causes severe skin irritation and possible burns.

INGESTION: May cause severe irritation and injury to the mouth, throat and digestive tract

INHALATION: May cause damage to nasal and respiratory passages

**MEDICAL CONDITIONS AGGRAVATED:** May aggravate skin irritation/dermatitis **ROUTES OF ENTRY:** Inhalation, Skin absorption, Skin Contact, Eye Contact, Ingestion

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name                       | Wt.%           | CAS         |
|-------------------------------------|----------------|-------------|
| Potassium Hydroxide                 | 2.52           | 1310-58-3   |
| Nonylphenol (branched), Ethoxylated | ≥ 3.88         | 127087-87-0 |
| Ethoxylated Alkyl Amine             | 2.99           | 61791-14-8  |
| 2- Butoxyethanol                    | 4              | 111-76-2    |
| Benzenesulfonic Acid, 4-methyl-     | ~ 2.256        | 104-15-4    |
| Sodium Dodecylbenezene Sulfonate    | 0.117 - 0.1209 | 25155-30-0  |
| Phosphoric Acid                     | 0.605 - 1.045  | 7664-38-2   |

### 4. FIRST AID MEASURES

EYES: Immediately flush with plenty of water for at least 15 minutes. Get medical attention immediately.

**SKIN:** Immediately flush skin with water for at least 15 minutes while removing contaminated clothing and shoes. Seek immediate medical attention. Wash clothing before reuse and discard contaminated shoes.

**INGESTION:** Get immediate medical attention. Do not induce vomiting unless instructed to do so by poison center or physician.

**INHALATION:** Move person to fresh air; if effects occur, consult a physician.

**NOTES TO PHYSICIAN:** Based on the individual reactions of the patient, the physician's judgement should be used to control symptoms and clinical condition.

### 5. FIRE FIGHTING MEASURES

**EXTINGUISHING MEDIA:** Carbon dioxide, dry chemical, foam

HAZARDOUS COMBUSTION PRODUCTS: Can include carbon oxides

**FIRE FIGHTING PROCEDURES:** Use water spray to cool containers exposed to flames. Fire fighting personnel should wear respiratory protection.

### 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Absorb with an inert material and place in an appropriate waste disposal container.

**LARGE SPILL:** Stop spill at the source. Pump liquid to salvage container. Recover product if possible. Remaining liquid can be taken up with absorbent material and placed into appropriate containers.

### 7. HANDLING AND STORAGE

GENERAL PROCEDURES: Keep container closed when not in use

**HANDLING:** Avoid contact with eyes. Avoid prolonged or repeated skin contact with the concentrate. Wash thoroughly after handling. Do not swallow. Do not transfer to an unlabeled container.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Page 3 of 5

Metkleen 2120

### **EXPOSURE GUIDELINES**

| OSHA HAZARDOUS COMPONENTS (29 CFR1910.1200) |      |                    |                   |       |                   |     |                   |
|---|------|--------------------|-------------------|-------|-------------------|-----|-------------------|
|   |      | EXPOSURE LIMITS    |                   |       |                   |     |                   |
|   |      | OSHA PEL ACGIH TLV |                   | H TLV | Supplier OEL      |     |                   |
| Chemical Name                               |      | ppm                | mg/m <sup>3</sup> | ppm   | mg/m <sup>3</sup> | ppm | mg/m <sup>3</sup> |
| 2- Butoxyethanol                            | TWA  | 50                 | 240               | 20    | 97                | NL  | NL                |
|   | STEL |                    |                   |       |                   | NL  | NL                |
| Benzenesulfonic Acid, 4-methyl-             | TWA  |                    |                   |       |                   | NL  | NL                |
|   | STEL |                    |                   |       |                   | NL  | NL                |
| Sodium Dodecylbenezene Sulfonate            | TWA  |                    |                   |       |                   | NL  | NL                |
|   | STEL |                    |                   |       |                   | NL  | NL                |
| Phosphoric Acid                             | TWA  |                    | 1                 |       | 1                 | NL  | NL                |
|   | STEL |                    |                   |       | 3                 | NL  | NL                |

**ENGINEERING CONTROLS:** General room ventilation should be sufficient. If mists are present, provide adequate ventilation to control level below PEL.

#### PERSONAL PROTECTIVE EQUIPMENT

**EYES AND FACE:** Face Shield or chemical resistant goggles must be worn. Ensure that eyewash stations and safety showers are close to the workstation location.

**SKIN:** When prolonged or frequently repeated contact scould occur, use protective clothing chemically resistant to this material. Selection of specific items such as facesheild, boots, apron or full-body suit will depend on the task.

**RESPIRATORY:** Not normally needed. If significant mists, vapors or aerosols are generated an approved respirator is recommended.

**WORK HYGIENIC PRACTICES:** Use good hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

**OTHER USE PRECAUTIONS:** If there is a likelihood of splashing, an oil resistant apron should be worn to prevent clothing contamination. If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse. Keep an eyewash fountain available. Keep a safety shower available.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

| Chemical Name           | Flash<br>Point<br>(°C) | Boiling<br>Point (°C) | Freezing<br>Point (°C) | Specific<br>Gravity |
|-------------------------|------------------------|-----------------------|------------------------|---------------------|
| Ethoxylated Alkyl Amine | 300                    |                       |                        |                     |
| Phosphoric Acid         | 11                     | 22                    | 33                     | 44                  |

ODOR: Mild odor
APPEARANCE: Liquid
COLOR: Clear light amber

**BOILING POINT:** > (200°F) at 760 mm HG

SOLUBILITY IN WATER: Complete EVAPORATION RATE: 1 water=1 SPECIFIC GRAVITY: 1.06 at (70°F)

### 10. STABILITY AND REACTIVITY

HAZARDOUS POLYMERIZATION: Will not occur STABILITY: Stable under normal conditions CONDITIONS TO AVOID: None known.

www.hodie.com

**7200 Interstate 20 ● Kennedale, TX 76060** 

# **H&O DIE SUPPLY, INC.**

# sales@hodie.com • 800-222-5441

Page 4 of 5

Metkleen 2120

**HAZARDOUS DECOMPOSITION PRODUCTS:** Products of combustion can include carbon oxides.

**INCOMPATIBLE MATERIALS:** Strong oxidizing agents. Strong acids.

### 11. TOXICOLOGICAL INFORMATION

### **ACUTE**

| Chemical Name           | ORAL LD <sub>50</sub> |
|-------------------------|-----------------------|
| Ethoxylated Alkyl Amine | 750                   |

#### CARCINOGENICITY

| Chemical Name    | IARC<br>Status | General Toxicity |
|------------------|----------------|------------------|
| 2- Butoxyethanol | 3              |                  |
| Phosphoric Acid  |                | None known.      |

### 12. ECOLOGICAL INFORMATION

**COMMENTS:** No specific ecological data is available for this product.

### 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Dispose of according to Local, State and Federal regulations. Not a RCRA hazardous waste if uncontaminated. If "used" RCRA criteria must be determined. Do not flush to drain/storm sewer.

EMPTY CONTAINER: Empty containers have same safety concerns as full drum

### 14. TRANSPORT INFORMATION

### **DOT (DEPARTMENT OF TRANSPORTATION)**

OTHER SHIPPING INFORMATION: This product is not considered hazardous according to DOT

### 15. REGULATORY INFORMATION

### **UNITED STATES**

### CERCLA (COMPREHENSIVE ENVIRONMENTAL RESPONSE, COMPENSATION, AND LIABILITY ACT)

| Chemical Name                    | Wt.%           | CERCLA<br>RQ |
|----------------------------------|----------------|--------------|
| Potassium Hydroxide              | 2.52           | 1,000        |
| Sodium Dodecylbenezene Sulfonate | 0.117 - 0.1209 | 1,000        |
| Phosphoric Acid                  | 0.605 - 1.045  | 5,000        |

### TSCA (TOXIC SUBSTANCE CONTROL ACT)

| Chemical Name                       | CAS         |
|-------------------------------------|-------------|
| Potassium Hydroxide                 | 1310-58-3   |
| Nonylphenol (branched), Ethoxylated | 127087-87-0 |
| Ethoxylated Alkyl Amine             | 61791-14-8  |
| 2- Butoxyethanol                    | 111-76-2    |
| Benzenesulfonic Acid, 4-methyl-     | 104-15-4    |
| Sodium Dodecylbenezene Sulfonate    | 25155-30-0  |
| Phosphoric Acid                     | 7664-38-2   |

### 16. OTHER INFORMATION

APPROVED BY: Robert Kowalski TITLE: Vice President of Research and Development

PREPARED BY: Alissa Simon Date Prepared: 08/04/2014

# www.hodie.com

**7200 Interstate 20 • Kennedale, TX 76060** 

# **H&O DIE SUPPLY, INC.**

# sales@hodie.com • 800-222-5441

Page 5 of 5

Metkleen 2120

**INFORMATION CONTACT: 1-800-686-3201** 

**HMIS RATING** 



**GENERAL STATEMENTS:** This information is for use of the purchaser only. This document should not be given to any outside organization without expressed consent from Metalloid Corporation.

**MANUFACTURER DISCLAIMER:** This product's safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information.